In re Application of: Lola WEISS et al

Serial No.: 10/589,623 Filed: August 16, 2006

Office Action Mailing Date: July 6, 2010

Examiner: Jennifer M. KIM Group Art Unit: 1628 Attorney Docket: 32361 Confirmation No.: 3826

In the claims:

1.(Currently Amended) A method of treating or preventing Type II diabetes in a subject, the method comprising administering to the subject a therapeutically effective amount of a—cannabidiol (CBD), thereby treating or preventing type II diabetes in the subject.

2. (Currently Amended) The method of claim 1, wherein said cannabidiol (CBD) comprises a compound having the general formula:

wherein R' is alkyl, COOH or CH2OH; and

R" is selected from the group consisting of a straight or branched alkyl having 5 to 12 carbon atoms; an -OR", where R" is straight or branched alkyl having 5 to 9 carbon atoms, or a straight or branched alkyl substituted at the terminal carbon atom by a phenyl group; and a -(CH₂)_n-O-alkyl group, where n is an integer from 1 to 7 and the alkyl group has 1 to 5 carbon atoms.

- 3. (Previously Presented) The method of claim 2, wherein R' is CH_3 and R'' is a straight alkyl having 5 carbon atoms (C_5H_{11}).
- 4. (Currently Amended) The method of claim 1, wherein said cannabidiol (CBD) comprises a natural cannabidiol (CBD).

In re Application of: Lola WEISS et al

Serial No.: 10/589,623 Filed: August 16, 2006

Office Action Mailing Date: July 6, 2010

Examiner: Jennifer M. KIM Group Art Unit: 1628
Attorney Docket: 32361

Confirmation No.: 3826

5. (Previously Presented) The method of claim 4, wherein said natural cannabidiol is extracted from Cannabis.

6-7. (Cancelled)

- 8. (Previously Presented) The method of claim 1, wherein said administering is via parenteral administration.
- 9. (Previously Presented) The method of claim 1, wherein said administering is via oral administration.
- 10. (Previously Presented) The method of claim 1, wherein said administering is via transdermal administration.

11-18. (Cancelled)

- 19. (Withdrawn) A method of prolonging survival of transplanted pancreatic cells comprising administering a therapeutically effective amount of a cannabidiol, thereby prolonging survival of the transplanted pancreatic cells.
- 20. (Withdrawn) The method of claim 19, wherein said cannabidiol comprises a compound having the general formula:

(I)

wherein R' is alkyl, COOH or CH2OH; and

In re Application of: Lola WEISS et al

Serial No.: 10/589,623 Filed: August 16, 2006

Office Action Mailing Date: July 6, 2010

Examiner: Jennifer M. KIM Group Art Unit: 1628
Attorney Docket: 32361

Confirmation No.: 3826

R" is selected from the group consisting of a straight or branched alkyl having 5 to 12 carbon atoms; an -OR", where R" is straight or branched alkyl having 5 to 9 carbon atoms, or a straight or branched alkyl substituted at the terminal carbon atom by a phenyl group; and a - $(CH_2)_n$ -O-alkyl group, where n is an integer from 1 to 7 and the alkyl group has 1 to 5 carbon atoms.

- 21. (Withdrawn) The method of claim 20, wherein R' is CH_3 and R'' is a straight alkyl having 5 carbon atoms (C_5H_{11}).
- 22. (Withdrawn) The method of claim 1, wherein said cannabidiol comprises a natural cannabidiol.
- 23. (Withdrawn) The method of claim 4, wherein said natural cannabidiol is extracted from Cannabis.
- 24. (Previously Presented) The method of claim 1, wherein said subject has transplanted pancreatic cells.

25. (Cancelled)

26. (New) The method of claim 1, wherein said cannabidiol is comprised in a composition having no psychotropic activity.